



e-Bike

www.argentobike.it



"It all began 530 years ago, when an incredible Italian inventor, by the name of Leonardo Da Vinci, gave life to something that has forever revolutionised our way of life. Since that long-a-go day, the bicycle has slowly become an object of everyday use in all the countries of the world. With the utmost focus on the concept of what it means to be Italian, which has traditionally characterised the world of bicycles with excellence, Argento designs and develops his e-bikes right here.

*The combination of Italian expertise, a brand with a **Made in Italy** flavour and the best components from all over the world, has led to the creation of our models with Italian **Royal** saddles, **Tektro** braking systems, **Shimano** gearbox, **Spanninga** lights, **Samsung** batteries, **American** bicycle forks and many more.*

Argento embodies the fusion of green innovation and Made in Italy tradition!"



Piuma +

foldable e-bike




AR-BI-210022 | 8052870486820

AR-BI-210021 | 8052870486813

WHEELS	20" X 2,125" brand KENDA model K924
RIM	colored aluminum, double shoulder, black spokes
BRAKES	mechanical front and rear disc brake, brand TEKTRÖ, model Aries, WuXing brakes lever, motor power cut off sensor
SHIFTER	Shimano Tourney 7 speed
FRONT FORK	aluminum, brand ZOOM with suspensions
CRANKSET	brand PROWHEEL model PDR 52T with double guide
PEDALS	brand VP resealable model VP-F55
FRAME	aluminum, foldable with Deluxe locking handle in the frame
MAX SPEED	25 Km/h
SEAT	brand SELLE ROYAL, model Freeway, high density sponge padding
SEAT TUBE	aluminum, tilting for battery extraction, with internal suspension
HANDLEBAR	aluminum, foldable and adjustable in height
GRIPS	Brand VELO, made in breathable, ergonomic, non-slip and waterproof silicone
LIGHTS	LED lights, brand SPANNINGA, front model: HL 1900, rear model: RL1900, operated from the display
DISPLAY	LED display, brand Kingmeter, model: 790, IP66 waterproof rating, info on the display: 3 assistance levels, battery indicator, ON / OFF lights
MOTOR	brand XF 36V 250W, rear
FENDER	included, plastic city model
KICKSTAND	rear, side model
CARRIER	included, max load 25Kg, black
MAX LOAD WEIGHT	100kg

E-bike dimensions




Samsung 36V
10.4Ah Battery



DELUXE closing handle



Carrier up to 25Kg



BATTERY	SAMSUNG 36V 10.4Ah 375Wh with USB socket
RECHARGEABLE TIME	4/6 hours
AUTONOMY	from 40 to 70km, this data depends on: level of assistance used, weight of the cyclist, muscle power applied when pedaling, tire pressure, road slope, number of stops and restarts
BATTERY WEIGHT	2,88Kg
NET WEIGHT	19,12Kg
GROSS WEIGHT	22Kg
CARTON SIZE	90 x 74 x 42cm

All picture shown are for illustration purposes only. Actual products may vary.

Piuma-S +


foldable e-bike



AR-BI-210023 | 8052870486837

WHEELS	20" X 2,125" brand KENDA model K924
RIM	colored aluminum, double shoulder, black spokes
BRAKES	mechanical front and rear disc brake, brand TEKTRÖ, model Aries, WuXing brakes lever, motor power cut off sensor
SHIFTER	Shimano Tourney 7 speed
FRONT FORK	aluminum, brand ZOOM with suspensions
CRANKSET	brand PROWHEEL model PDR 52T with double guide
PEDALS	brand VP resealable model VP-F55
FRAME	aluminum, foldable with Deluxe locking handle in the frame
MAX SPEED	25 Km/h
SEAT	brand SELLE ROYAL, model Freeway, high density sponge padding
SEAT TUBE	aluminum, tilting for battery extraction, with internal suspension
HANDLEBAR	aluminum, foldable and adjustable in height
GRIPS	brand VP, in breathable, ergonomic, non-slip and waterproof silicone
LIGHTS	LED lights, brand: SPANNINGA, front model: HL 1900, rear model: RL1900, operated from the display
DISPLAY	LCD display, brand APT, model 500S , IP67 waterproof rating, info on the display: 5 assistance levels, battery indicator, ON / OFF lights, odometer with related functions
MOTOR	brand XF 36V 250W, rear
FENDER	included, plastic city model
KICKSTAND	rear, side model
REAR RACK	included, max load 25Kg, black
MAX LOAD	100kg

E-bike dimensions




Samsung 36V
10.4Ah Battery



Display LCD waterproof



Carrier up to 25Kg



BATTERY	SAMSUNG 36V 10.4Ah 375Wh with USB socket
CHARGER	42V 2A
CHARGING TIME	4/6 hours
AUTONOMY	from 40 to 70km, this data depends on: level of assistance used, weight of the cyclist, muscle power applied when pedaling, tire pressure, road slope, number of stops and restarts
BATTERY WEIGHT	2,88Kg
NET WEIGHT	19,12Kg
GROSS WEIGHT	22Kg
CARTON SIZE	90 x 74 x 42cm

All picture shown are for illustration purposes only. Actual products may vary.

mini max

+


foldable fat e-bike



	AR-BI-210024 8052870486844
	AR-BI-210025 8052870486851

WHEELS	20" X 4.0" brand KENDA model K1188
RIM	black on AR-BI-210024, gold on AR-BI-210025, single shoulder, black spokes
BRAKES	mechanical front and rear disc brake, brand: TEKTRÖ, model: Aries, WuXing brakes lever, motor power cut off sensor
SHIFTER	Shimano Tourney 7 speed
FRONT FORK	MOZO USA brand with suspension
CRANKSET	brand PROMAX model PQR, 52T with double guide
PEDALS	brand VP resealable model VP-F55
FRAME	aluminum, foldable with locking handle in the Deluxe frame
SPEED MAX	25 Km/h
SEAT	SELLE ROYAL brand, Freeway model, high density sponge padding
SEAT TUBE	aluminum, folding for battery extraction
HANDLEBAR	aluminum, foldable and adjustable in height
GRIPS	brand VELLO, made in breathable, ergonomic, non-slip and waterproof silicone
LIGHTS	LED lights, brand: SPANNINGA, front model: HL 1900 operated from the display, integrated rear saddle model with internal battery
DISPLAY	LCD display, brand APT, model: 500S, IP67 waterproof rating, info on the display: 5 assistance levels, battery indicator, ON / OFF lights, odometer with related functions
MOTOR	brand 8FUN, 36V 250W, rear
FENDER	included, FAT model in aluminum
KICKSTAND	rear, side model
REAR RACK	not included
MAX LOAD	100kg

E-bike dimensions



Samsung 36V
10.4Ah Battery



Integrated LED saddle light



Display LCD waterproof



BATTERY CHARGER	SAMSUNG 36V 10.4Ah 375Wh with USB socket
CHARGING TIME	4/6 hours
AUTONOMY	from 30 to 70km, this data depends on: level of assistance used, weight of the cyclist, muscle power applied when pedaling, tire pressure, road slope, number of stops and restarts
BATTERY WEIGHT	2,88Kg
NET WEIGHT	22,12Kg
GROSS WEIGHT	25Kg
CARTON SIZE	166 x 27 x 88cm

All picture shown are for illustration purposes only. Actual products may vary.

mini max-S +


foldable fat e-bike



AR-BI-210026 | 8052870486868

WHEELS	20 "X 4.0" brand KENDA road model K1032
RIM	gold aluminum, single shoulder, black spokes
BRAKES	hydraulic front and rear disc brake, TEKTRON brand, model HD-ED350, with motor power cut off sensor
SHIFTER	Shimano Tourney 7 speed
FRONT FORK	brand MOZO USA with suspension
CRANKSET	brand PROWHEEL model POR, 52T with double guide
PEDALS	brand VP resealable model VP-F55
FRAME	aluminum, foldable with locking handle in the Deluxe frame
MAX SPEED	25 Km/h
SEAT	brand SELLE ROYAL, model Freeway, high density sponge padding
SEAT TUBE	in aluminum, tilting for battery extraction, with internal suspension
HANDLEBAR	aluminum, foldable and adjustable in height
GRIPS	brand VELO, in rubber, with aluminum rings
LIGHTS	LED lights, brand SPANNINGA, front model: HL 1900, rear model: RL1900, operated from the display
DISPLAY	LCD display, brand APT, model 500S, IP67 waterproof rating, info on the display: 5 assistance levels, battery indicator, ON / OFF lights, odometer with related functions
MOTOR	brand 8FUN, 36V 250W, rear
FENDER	included, FAT model in aluminum
KICKSTAND	rear, side model
REAR RACK	included, max load 15Kg, black
MAX LOAD	100kg


E-bike dimensions



Saddle with internal suspension



Carrer up to 15Kg



Hydraulic Tektro disc brakes



BATTERY CHARGING	SAMSUNG 36V 10.4Ah 375Wh with USB socket
CHARGING TIME	42V 2A
AUTONOMY	4/6 hours
	from 30 to 70km, this data depends on: level of assistance used, weight of the cyclist, muscle power applied when pedaling, tire pressure, road slope, number of stops and restarts
BATTERY WEIGHT	2,88Kg
NET WEIGHT	22,12Kg
GROSS WEIGHT	25Kg
CARTON SIZE	166 x 27 x 88cm

All picture shown are for illustration purposes only. Actual products may vary.

mini max GT


foldable fat e-bike



AR-BI-210007 | 8052870486660

WHEELS	20 "X 4.0" brand KENDA road model K1032
RIM	gold aluminum, single shoulder, black spokes
BRAKES	hydraulic front and rear disc brake, TEKTRÖ brand, model HD-ED350, with motor power cut off sensor
SHIFTER	Shimano Tourney 7 speed
FRONT FORK	brand MOZO USA with suspension
CRANKSET	brand PROWHEEL model PQR, 52T with double guide
PEDALS	brand VP resealable model VP-F55
FRAME	aluminum, foldable with locking handle in the Deluxe frame
MAX SPEED	25 Km/h
SEAT	brand SELLE ROYAL, model Freeway, high density sponge padding
SEAT TUBE	in aluminum, tilting for battery extraction, with internal suspension
HANDLEBAR	aluminum, foldable and adjustable in height
GRIPS	brand VP in rubber, with aluminum rings
LIGHTS	LED brand SPANNINGA, front model HL 1900, rear model RL1900, management via display
DISPLAY	brand APT, 500S LCD display, IP67 waterproof, info on the display: 5 assistance levels, battery indicator, ON / OFF lights, odometer with attached functions
MOTOR	brand XF 36V 250W, rear
FENDER	included, FAT model in aluminum
KICKSTAND	rear, side model
REAR RACK	included, max load 15Kg, black
MAX LOAD	100kg

Dimensioni e-bike



Saddle with internal suspension



Carrier up to 15Kg



Hydraulic Tektro disc brakes



BATTERY CHARGING	SAMSUNG 48V 12.8Ah 615Wh with USB socket
CHARGING TIME	42V 2A
AUTONOMY	4/6 hours
	from 40 to 80km, this data depends on: level of assistance used, weight of the cyclist, muscle power applied when pedaling, tire pressure, road slope, number of stops and restarts
BATTERY WEIGHT	2,88Kg
NET WEIGHT	22,12Kg
GROSS WEIGHT	25Kg
PACKAGING DIMENSIONS	166 x 27 x 88cm

All picture shown are for illustration purposes only. Actual products may vary.




AR-BI-210027 | 8052870486875

AR-BI-210028 | 8052870486882

WHEELS	20 "X 4.0" brand KENDA model K1188
RIM	black aluminum, single shoulder, black spokes
BRAKES	mechanical front and rear disc brake, brand TEKTRÖ, model Aries, WuXing brakes lever, motor power cut off sensor
SHIFTER	Shimano Tourney 7 speed
FRONT FORK	brand MOZO USA with suspension
CRANKSET	brand PROWHEEL model POR 52T with double guide
PEDALS	brand VP resealable model VP-F55
FRAME	aluminum, foldable with Deluxe handle and spring shock absorber
MAX SPEED	25 Km/h
SEAT	brand SELLE ROYAL, model Freeway, high density sponge padding
SEAT TUBE	aluminum, folding for battery extraction
HANDLEBAR	aluminum, foldable and adjustable in height
GRIPS	brand VELO, made in breathable, ergonomic, non-slip and waterproof silicone
LIGHTS	LED lights, brand: SPANNINGA, front model: HL 1900, rear model: RL1900, operated from the display
DISPLAY	LCD display, brand APT, model: 500S, IP67 waterproof rating, info on the display: 5 assistance levels, battery indicator, ON / OFF lights, odometer with related functions
MOTOR	brand 8FUN, 36V 250W, rear
FENDER	included, FAT model in aluminum
KICKSTAND	rear, side model
REAR RACK	included, max load 15Kg, black
MAX LOAD	100kg


E-bike dimensions



Battery Samsung
da 36V 10.4Ah



Full Suspension



Display LCD waterproof



BATTERY CHARGER	SAMSUNG 36V 10,4Ah 375Wh
CHARGING TIME	42V 2A
AUTONOMY	4/6 hours
	from 30 to 70 km, this data depends on: level of assistance used, weight of the cyclist, muscle power applied when pedaling, tire pressure, road slope, number of stops and restarts
BATTERY WEIGHT	2,88Kg
NET WEIGHT	22,12Kg
GROSS WEIGHT	25Kg
CARTON SIZE	166 x 27 x 88cm

All picture shown are for illustration purposes only. Actual products may vary.

bi max-S +


foldable fat e-bike



AR-BI-210029 | 8052870486899

WHEELS	20 "X 4.0" brand KENDA road model K1032
RIM	black aluminum, single shoulder, black spokes
BRAKES	hydraulic front and rear disc brake, TEKRO brand, model HD-ED350, with motor power cut off sensor
SHIFTER	Shimano Tourney 7 speed
FRONT FORK	brand MOZO USA with suspension
CRANKSET	brand PROWHEEL model POR 52T with double guide
PEDALS	brand VP model VP-F55
FRAME	aluminum, foldable with Deluxe handle and spring shock absorber
MAX SPEED	25 Km/h
SEAT	brand SELLE ROYAL, model Freeway, high density sponge padding
SEAT TUBE	aluminum, folding for battery extraction
HANDLEBAR	aluminum, foldable and adjustable in height
GRIPS	brand VELO, rubber with aluminum rings
LIGHTS	LED lights, brand: SPANNINGA, front model: HL 1900, rear model: RL1900, operated from the display
DISPLAY	LCD display, brand APT, model: 500S, IP67 waterproof rating, info on the display: 5 assistance levels, battery indicator, ON / OFF lights, odometer with related functions
MOTOR	brand 8FUN, 36V 250W, rear
FENDER	included, FAT model in aluminum
KICKSTAND	rear, side model
REAR RACK	included, max load 15Kg, black
MAX LOAD	100kg

E-bike dimensions




LG 36V
12.8Ah Battery



TEKRO hydraulic disc brakes



Full Suspension



BATTERY	LG 36V 12,8Ah 461Wh
CHARGER	42V 2A
CHARGING TIME	4/6 hours
AUTONOMY	from 40 to 80 km, this data depends on: level of assistance used, weight of the cyclist, muscle power applied when pedaling, tire pressure, road slope, number of stops and restarts
BATTERY WEIGHT	2,88Kg
NET WEIGHT	22,12Kg
GROSS WEIGHT	25Kg
CARTON SIZE	166 x 27 x 88cm

All picture shown are for illustration purposes only. Actual products may vary.

bi max-GT


foldable fat e-bike



AR-BI-210017 | 8052870486769

WHEELS	20 "X 4.0" brand KENDA road model K1188
RIM	black aluminum, single shoulder, black spokes
BRAKES	hydraulic disc front and rear, TEKTRÖ brand, model HD-ED350, with motor power cut off sensor
SHIFTER	Shimano Tourney 7 speed
FRONT FORK	brand MOZO USA with suspension
CRANKSET	brand PROWHEEL model POR 52T with double guide
PEDALS	brand VP model VP-F55
FRAME	aluminum, foldable with Deluxe handle and spring shock absorber
MAX SPEED	25 Km/h
SEAT	brand SELLE ROYAL, model Freeway, high density sponge padding
SEAT TUBE	aluminum, folding for battery extraction
HANDLEBAR	aluminum, foldable and adjustable in height
GRIPS	VP brand, rubber with aluminum rings
LIGHTS	brand SPANNINGA LED, front model HL 1900, rear model RL1900, management via display
DISPLAY	brand APT, 500S LCD display, IP67 waterproof, info on the display: 5 assistance levels, battery indicator, ON / OFF lights, odometer with attached functions
MOTOR	brand XF 36V 250W, rear
FENDER	included, FAT model in aluminum
KICKSTAND	rear, side model
REAR RACK	included, max load 15Kg, black
MAX LOAD	100kg

Dimensioni e-bike




LG 48V
12.8Ah Battery



TEKTRÖ hydraulic disc brakes



Full Suspension



BATTERY	LG 36V 12,8Ah 461Wh
CHARGER	42V 2A
CHARGING TIME	4/6 hours
AUTONOMY	from 40 to 80 km, this data depends on: level of assistance used, weight of the cyclist, muscle power applied when pedaling, tire pressure, road slope, number of stops and restarts
BATTERY WEIGHT	2,88Kg
NET WEIGHT	22,12Kg
GROSS WEIGHT	25Kg
CARTON SIZE	166 x 27 x 88cm

All picture shown are for illustration purposes only. Actual products may vary.

ALPHA

city e-bike




AR-BI-210014 | 8052870486738



WHEELS	27.5 "X 1.75" brand KENDA model K1088
RIM	black aluminum, double shoulder, black spokes
BRAKES	mechanical front and rear disc brake, brand TEKTRÖ, model Aries, WuXing brakes lever, motor power cut off sensor
SHIFTER	Shimano Tourney 7 speed
FRONT FORK	aluminum, brand SUNTOUR model XCT with suspensions
CRANKSET	brand PROWHEEL model POR 48T with chain guard
PEDALS	aluminum brand VP city model VP-608
FRAME	aluminum with integrated padlock for rear wheel
MAX SPEED	25 Km/h
SEAT	brand SELLE ROYAL, model Freeway, high density sponge padding
SEAT TUBE	aluminum, with internal suspension
HANDLEBAR	aluminum, brand ZOOM model city
GRIPS	brand VELO, in breathable, ergonomic, non-slip and waterproof silicone
LIGHTS	LED lights, brand: SPANNINGA, front model: HL 1900, rear model: RL1900, operated from the display
DISPLAY	brand APT, 500S LCD display, IP67 waterproof, info on the display: 5 assistance levels, battery indicator, ON / OFF lights, odometer with attached functions
MOTOR	brand XOFO, 36V 250W, rear
FENDER	included, city model, plastic
KICKSTAND	rear, side model
REAR RACK	included, max load 25Kg, black
MAX LOAD	100kg

E-bike dimensions



Hydroformed frame with integrated battery



Carrer up to 25Kg



Suspension fork



BATTERY	SAMSUNG 36V 10,4Ah 375Wh
CHARGER	42V 2A
CHARGING TIME	4/6 hours
AUTONOMY	from 40 to 70km, this data depends on: level of assistance used, weight of the cyclist, muscle power applied when pedaling, tire pressure, road slope, number of stops and restarts
BATTERY WEIGHT	2,46Kg
NET WEIGHT	22,54Kg
GROSS WEIGHT	25Kg
CARTON SIZE	147,5 x 26 x 90cm

All picture shown are for illustration purposes only. Actual products may vary.

OMEGA+


city e-bike



AR-BI-210036 | 8052870486967
AR-BI-210035 | 8052870486950

WHEELS	28 "X 1.75" brand KENDA model K1088
RIM	black aluminum, double shoulder, black spokes
BRAKES	mechanical front and rear disc brake, brand: TEKRO, model: Aries, WuXing brakes lever, motor power cut off sensor
SHIFTER	Shimano Tourney 7 speed
FRONT FORK	aluminum brand ZOOM, with single shock absorber
CRANKSET	brand PROWHEEL model PQR 48T
PEDALS	aluminum brand VP model VP-608
FRAME	aluminum with integrated padlock for rear wheel
MAX SPEED	25 Km/h
SEAT	brand SELLE ROYAL, model Freeway, high density sponge padding
SEAT TUBE	aluminum, with internal suspension
HANDLEBAR	aluminum, brand ZOOM, model city
GRIPS	brand VELO, in breathable, ergonomic, non-slip and waterproof silicone
LIGHTS	LED lights, brand SPANNINGA, front model: HL 1900, rear model: RL1900, operated from the display
DISPLAY	brand APT, 500S LCD display, IP67 waterproof, info on the display: 5 assistance levels, battery indicator, ON / OFF lights, odometer with attached functions
MOTOR	brand: XOFO, 36V 250W, rear
FENDER	included, city model, plastic
KICKSTAND	rear, side model
REAR RACK	included, max load 15Kg, black
MAX LOAD	100kg


E-bike dimensions



Suspension fork



Carrer up to 15Kg



Battery fully integrated into the frame



BATTERY CHARGER	SAMSUNG 36V 10,4Ah 375Wh 42V 2A
CHARGING TIME	4/6 hours
AUTONOMY	from 40 to 70km, this data depends on: level of assistance used, weight of the cyclist, muscle power applied when pedaling, tire pressure, road slope, number of stops and restarts
BATTERY WEIGHT	2,46Kg
NET WEIGHT	22,54Kg
GROSS WEIGHT	25Kg
CARTON SIZE	147,5 x 26 x 90cm

All picture shown are for illustration purposes only. Actual products may vary.


PERFORMANCE +
mountain e-bike



AR-BI-210031 | 8052870486912
AR-BI-210032 | 8052870486929

WHEELS	27.5 "x 2.3" brand KENDA sports model
RIM	black aluminum, double shoulder, black spokes
BRAKES	hydraulic disc front and rear, TEKTRÖ brand, model HD-T285, TEKTRÖ brake lever with ergonomic handle
SHIFTER	Shimano Acera 7 speed
FRONT FORK	brand ZOOM model VAXA in aluminum, with suspension
CRANKSET	brand PROWHEEL model PIONEER (Deluxe) 44T
PEDALS	in aluminum brand VP model VP-565
FRAME	aluminum
MAX SPEED	25 Km/h
SEAT	brand SELLE ROYAL model VIVO
SEAT TUBE	aluminum
HANDLEBAR	in aluminum, brand ZOOM model sport
GRIPS	brand VELO in rubber, with aluminum rings
LIGHTS	LED lights, brand: SPANNINGA, front model: HL 1900 operated from the display, integrated rear saddle model with internal battery
DISPLAY	LCD display, brand APT, model 500S, IP67 waterproof rating, info on the display: 5 assistance levels, battery indicator, ON / OFF lights, odometer with related functions
MOTOR	brand 8FUN, 36V 250W, rear
FENDER	not included
KICKSTAND	rear, side model
REAR RACK	not included
MAX LOAD	110kg

E-bike dimensions



ZOOM fork
VAXA model



Display LCD waterproof



Battery fully
integrated into the frame



BATTERY	LG 36V 12,8Ah 461Wh
CHARGER	42V 2A
CHARGING TIME	4/6 hours
AUTONOMY	from 40 to 80km, this data depends on: level of care used, the rider's weight, muscle power applied in pedaling, pressure tires, road gradient, number of stop-and-go
BATTERY WEIGHT	2,70Kg
NET WEIGHT	21,3Kg
GROSS WEIGHT	24Kg
CARTON SIZE	150 x 26 x 90cm

All picture shown are for illustration purposes only. Actual products may vary.


PERFORMANCE PRO +
mountain e-bike



AR-BI-210033 | 8052870486936

WHEELS	27.5 "x 2.3" brand KENDA sports model
RIM	black aluminum, double shoulder, black spokes
BRAKES	hydraulic disc front and rear, brand TEKRO , model HD-T285, TEKRO brake lever with ergonomic handle
SHIFTER	Shimano Alivia 9 speed
FRONT FORK	brand ZOOM model VAXA in aluminum, with suspension
CRANKSET	OLI front gear, KMC chain model Z51RB-1 anti-rust
PEDALS	in aluminum, brand VP model VP-565
FRAME	aluminum, with EXAFORM shock absorber model A5
MAX SPEED	25 Km/h
SEAT	brand SELLE ROYAL model VIVO
SEAT TUBE	aluminum
HANDLEBAR	aluminum, brand ZOOM
GRIPS	brand VELO in rubber, with aluminum rings
LIGHTS	LED lights, brand: SPANNINGA, front model: HL 1900 operated from the display, integrated rear saddle model with internal battery
DISPLAY	LCD display brand OLI , waterproof IP67, info on the display: 5 assistance levels, battery indicator, lights ON / OFF, odometer with attached functions
CONTROL UNIT	36V brand OLI
MOTOR	36V 250W brand OLI MOVE PLUS 80Nm, central, with stress sensors
FENDER	not included
KICKSTAND	rear, side model
REAR RACK	not included
MAX LOAD	110kg

E-bike dimensions



Full Suspension



LCD display with remote control



Central motor 80Nm



BATTERY	LG 36V 12,8Ah 461Wh
CHARGER	42V 2A
CHARGING TIME	4/6 hours
AUTONOMY	from 60 to 120km , this data depends on: level of assistance used, weight of the cyclist, muscle power applied when pedaling, tire pressure, road slope, number of stops and restarts
BATTERY WEIGHT	2,70Kg
NET WEIGHT	22,3Kg
GROSS WEIGHT	25Kg
CARTON SIZE	150 x 26 x 90cm


All picture shown are for illustration purposes only. Actual products may vary.



AR-BI-210034 | 8052870486943

WHEELS	26 "X 4.0" brand KENDA model JUGGERNAUT
RIM	black aluminum, single shoulder, black spokes
BRAKES	mechanical disc front and rear, brand TEKTRÖ, model Aries, TEKTRÖ brake lever with ergonomic handle
SHIFTER	Shimano Acera 7 speed
FRONT FORK	aluminum, brand MOZO USA with suspensions
CRANKSET	PROWHEEL brand POR model, 36T with double guide, KMC anti-rust chain
PEDALS	aluminum, brand VP sport model VP-565
FRAME	aluminum
MAX SPEED	25 Km/h
SEAT	brand SELLE ROYAL, model Freeway, high density sponge padding
SEAT TUBE	aluminum, with internal suspension
HANDLEBAR	aluminum, brand ZOOM
GRIPS	brand VELO in breathable, ergonomic, non-slip and waterproof silicone
LIGHTS	LED lights, brand: SPANNINGA, front model: HL 1900 operated from the display, integrated rear saddle model with internal battery
DISPLAY	LCD display brand APT, model 500S, waterproof IP67, info on the display: 5 assistance levels, battery indicator, lights ON / OFF, odometer with attached functions
MOTOR	brand 8FUN 36V 250W, rear
FENDER	not included
KICKSTAND	rear, side model
REAR RACK	not included
MAX LOAD	110kg

E-bike dimensions



Battery Samsung
da 36V 10.4Ah



Hydroformed frame
with integrated battery



FAT wheels



BATTERY	SAMSUNG 36V 10,4Ah 375Wh with USB socket
CHARGER	42V 2A
CHARGING TIME	4/6 hours
AUTONOMY	from 30 to 70km, this data depends on: level of assistance used, weight of the cyclist, muscle power applied when pedaling, tire pressure, road slope, number of stops and restarts
BATTERY WEIGHT	2,70Kg
NET WEIGHT	23,3Kg
GROSS WEIGHT	26Kg
CARTON SIZE	160 x 28 x 90cm

All picture shown are for illustration purposes only. Actual products may vary.

elephant PRO

fat e-bike




AB-EP-Y20 | 8052870480668



WHEELS	26 "X 4.0" brand KENDA model JUGGERNAUT
RIM	black aluminum, single shoulder, black spokes
BRAKES	mechanical disc front and rear, brand TEKTRÖ, model Aries, TEKTRÖ brake lever with ergonomic handle
SHIFTER	Shimano Acera 7 speed
FRONT FORK	aluminum, brand MOZO USA with suspensions
CRANKSET	front report OLI
PEDALS	aluminum, brand VP model VP-565
FRAME	aluminum
MAX SPEED	25 Km/h
SEAT	brand SELLE ROYAL, model VIVO
SEAT TUBE	aluminum, with internal suspension
HANDLEBAR	aluminum, brand ZOOM
GRIPS	brand VELO in breathable, ergonomic, non-slip and waterproof silicone
LIGHTS	LED lights, brand: SPANNINGA, front model: HL 1900 operated from the display, integrated rear saddle model with internal battery
DISPLAY	LCD display brand OLI , IP67 waterproof, info on the display: 5 assistance levels, battery indicator, ON / OFF lights, odometer with related functions
CONTROL UNIT	36V brand OLI
MOTOR	36V 250W brand OLI model MOVE PLUS 80Nm, central
FENDER	not included
KICKSTAND	rear, side model
REAR RACK	not included
MAX LOAD	110kg

E-bike dimensions



Hydroformed frame with integrated battery



LCD display with remote control



Central motor 80Nm



BATTERY	LG 36V 12.8Ah 461Wh with USB socket
CHARGER	42V 2A
CHARGING TIME	4/6 hours
AUTONOMY	from 60 to 100km , this data depends on: level of assistance used, cyclist's weight, muscle power applied when pedaling, tire pressure, road slope, number of stops and restarts
BATTERY WEIGHT	2,70Kg
NET WEIGHT	23,3Kg
GROSS WEIGHT	26Kg
CARTON SIZE	160 x 28 x 90cm

All picture shown are for illustration purposes only. Actual products may vary.

MADMAX

fat e-bike




AB-MM-Y20 | 8052870480675



WHEELS	20 "X 4.0" brand KENDA model street
RIM	black aluminum, single shoulder, black spokes
BRAKES	mechanical disc front and rear, brand TEKTRÖ, model Aries, TEKTRÖ brake lever with ergonomic handle
SHIFTER	Shimano Tourney 7 speed
FRONT FORK	custom model in aluminum
CRANKSET	PROWHEEL brand POR 44T model with double guide and KMC anti-rust chain
PEDALS	aluminum, brand VP
FRAME	aluminum
MAX SPEED	25 Km/h
SEAT	with high density sponge padding
SEAT TUBE	not existing
HANDLEBAR	in aluminum, model custom
GRIPS	brand VP in rubber with aluminum rings
LIGHTS	LED, management via display
DISPLAY	brand APT, LCD display model 500S, waterproof IP67, info on the display: 5 assistance levels, battery indicator, ON / OFF lights, odometer with attached functions
MOTOR	brand 8FUN 36V 250W, rear
FENDER	included, FAT model in aluminum
KICKSTAND	rear, side model
REAR RACK	not included
MAX LOAD	220kg

E-bike dimensions



Display LCD waterproof



Large headlight



Vintage two-seater saddle



BATTERY	SAMSUNG 36V 10,4Ah 375Wh
CHARGER	42V 2A
CHARGING TIME	4/6 hours
AUTONOMY	from 30 to 70km, this data depends on: level of assistance used, weight of the cyclist, muscle power applied when pedaling, tire pressure, road slope, number of stops and restarts
BATTERY WEIGHT	2,5Kg
NET WEIGHT	27,5Kg
GROSS WEIGHT	30Kg
CARTON SIZE	184 X 30 X 94 cm

All picture shown are for illustration purposes only. Actual products may vary.

MADMAX-S


fat e-bike



AB-MM-B20 | 8052870480682

WHEELS	20 "X 4.0" brand KENDA model street
RIM	black aluminum, single shoulder, black spokes
BRAKES	hydraulic disc front and rear, brand TEKTR0, model HD-T285, TEKTR0 brake lever with ergonomic handle
SHIFTER	Shimano Tourney 7 speed
FRONT FORK	cushioned, model downhill
CRANKSET	PROWHEEL brand POR 44T model with double guide and KMC anti-rust chain
PEDALS	aluminum, brand VP
FRAME	aluminum
MAX SPEED	25 Km/h
SEAT	custom reclining model with saddle bag with key lock
SEAT TUBE	not existing
HANDLEBAR	in aluminum, model custom
GRIPS	brand VELO in rubber with aluminum rings
LIGHTS	LED lights, operated from the display
DISPLAY	LCD display brand APT model 500S, IP67 waterproof, info on the display: 5 assistance levels, battery indicator, ON / OFF lights, odometer with related functions
MOTOR	brand 8FUN 36V 250W, rear
FENDER	included, FAT model in aluminum
KICKSTAND	rear, side model
REAR RACK	not included
MAX LOAD	220kg

E-bike dimensions



Samsung 36V
13Ah Battery



Downhill front fork



Saddlebag with key lock



BATTERY	SAMSUNG 36V 13Ah 468Wh
CHARGER	42V 2A
CHARGING TIME	4/6 hours
AUTONOMY	from 45 to 80km , this data depends on: level of assistance used, weight of the cyclist, muscle power applied when pedaling, tire pressure, road slope, number of stops and restarts
BATTERY WEIGHT	2,5Kg
NET WEIGHT	27,5Kg
GROSS WEIGHT	30Kg
CARTON SIZE	184 X 30 X 94 cm

All picture shown are for illustration purposes only. Actual products may vary.

MADMAX-**GT**

fat e-bike




AR-BI-210020 | 8052870486790



WHEELS	20 "X 4.0" brand KENDA model street
RIM	black aluminum, single shoulder, black spokes
BRAKES	hydraulic disc front and rear, brand TEKTR0, model HD-T285, TEKTR0 brake lever with ergonomic handle
SHIFTER	Shimano Tourney 7 speed
FRONT FORK	cushioned, model downhill
CRANKSET	PROWHEEL brand POR 44T model with double guide and KMC anti-rust chain
PEDALS	aluminum, brand VP
FRAME	aluminum
MAX SPEED	25 Km/h
SEAT	custom reclining model with saddle bag with key lock
SEAT TUBE	not existing
HANDLEBAR	in aluminum, model custom
GRIPS	brand VELO in rubber with aluminum rings
LIGHTS	LED lights, operated from the display
DISPLAY	LCD display brand APT model 500S, IP67 waterproof, info on the display: 5 assistance levels, battery indicator, ON / OFF lights, odometer with related functions
MOTOR	brand 8FUN 36V 250W, rear
FENDER	included, FAT model in aluminum
KICKSTAND	rear, side model
REAR RACK	not included
MAX LOAD	220kg

Dimensioni e-bike



LG 48V
12.8Ah Battery



Downhill front fork



Saddlebag with key lock



BATTERY	LG 48V 12.8Ah 615Wh
CHARGER	42V 2A
CHARGING TIME	4/6 hours
AUTONOMY	from 45 to 80km, this data depends on: level of assistance used, weight of the cyclist, muscle power applied when pedaling, tire pressure, road slope, number of stops and restarts
BATTERY WEIGHT	2,5Kg
NET WEIGHT	27,5Kg
GROSS WEIGHT	30Kg
CARTON SIZE	184 X 30 X 94 cm

All picture shown are for illustration purposes only. Actual products may vary.

bi max-XL +


foldable fat e-bike



AR-BI-210030 | 8052870486905

WHEELS	20 "X 4.0" brand KENDA road model K1188
RIM	black aluminum, single shoulder, black spokes
BRAKES	hydraulic disc front and rear, TEKTRO brand, model HD-ED350, with motor power cut off sensor
SHIFTER	Shimano Tourney 7 speed
FRONT FORK	brand MOZO USA with suspension
CRANKSET	brand PROWHEEL model POR 52T with double guide
PEDALS	brand VP model VP-F55
FRAME	aluminum, foldable with Deluxe handle and spring shock absorber
MAX SPEED	25 Km/h
SEAT	brand SELLE ROYAL, model Freeway, high density sponge padding
SEAT TUBE	aluminum, folding for battery extraction
HANDLEBAR	aluminum, foldable and adjustable in height
GRIPS	brand VELO in breathable, ergonomic, non-slip and waterproof silicone
LIGHTS	LED lights, brand: SPANNINGA, front model: 48V HL 1900, rear model: 48V RL1900, operated from the display
DISPLAY	brand APT, 500S LCD display, IP67 waterproof, info on the display: 5 assistance levels, battery indicator, ON / OFF lights, odometer with attached functions
MOTOR	brand 8FUN, 36V 500W, rear
FENDER	included, FAT model in aluminum
KICKSTAND	rear, side model
REAR RACK	included, max load 15Kg, black
MAX LOAD	100kg

E-bike dimensions




LG 48V
12.8Ah Battery



BAFANG 500W motor



Full Suspension



BATTERY	LG 48V 12.8Ah 615Wh
CHARGER	54.6V 2A
CHARGING TIME	4/6 hours
AUTONOMY	from 40 to 80 km, this data depends on: level of assistance used, weight of the cyclist, muscle power applied when pedaling, tire pressure, road slope, number of stops and restarts
BATTERY WEIGHT	3,38Kg
NET WEIGHT	22,12Kg
GROSS WEIGHT	25,5Kg
CARTON SIZE	166 x 27 x 88cm

All picture shown are for illustration purposes only. Actual products may vary.



MN-AR-AC20 | 8052870481405

SPEED	level 1: up to 6Km / h - level 2: up to 20Km / h - level 3: up to 25Km / h
MAX CLIMBING ANGLE	10%
SUITABLE SURFACE	concrete, asphalt and muddy roads; platforms less than 1 cm; surfaces with cracks less than 3 cm wide
FRONT BRAKE	electric brake
REAR BRAKE	mechanical disc brake
WHEELS	8.5 "with front and rear air chamber
LIGHTS	LED front and rear
DISPLAY	Display LCD
MOTOR	brushless 250W
IP RATING	IP54
FRAME	steel
HANDLEBAR STEM	with Easy-Folding closure system
OPERATING TEMP.	-10°C / +50°C
RIDING REQUIREMENTS	from 130cm to 200cm in height
LOAD CAPACITY	100kg
BATTERY	36v 7,8Ah 280Wh
CHARGER	42V 1,5A
CHARGING TIME	3-4 ore
AUTONOMY	from 20 to 25Km, this figure may vary according to the type of use and external environment

36V 7.8Ah



Easy-Folding
closing system



Powerful LED headlight



Mechanical rear disc brake



PRODUCT WEIGHT	13,5Kg
PACKAGED WEIGHT	15,8Kg
UNIT SIZE (OPEN)	105 x 42 x 110cm
UNIT SIZE (FOLDED)	105 x 42 x 49cm
CARTON SIZE	115 x 19 x 50cm

All picture shown are for illustration purposes only. Actual products may vary.



SPEED	level 1: up to 6km/h level 2: up to 20km/h level 3: up to 25km/h (max speed)
MAX CLIMBING ANGLE	15%
BRAKES	Front and rear disc brakes
WHEELS	20" front and 16" rear wheels
LIGHTS	Front and rear LED lights
DISPLAY	LCD display
MOTOR	350W brushless
IP RATING	IP54
FRAME	aluminium
HANDLEBAR STEM	Easy-folding closure system
OPERATING TEMPERATURE	-10°C / +50°C
RIDING REQUIREMENTS	Age: 16+ yo / Height: 130-200cm
LOAD CAPACITY	100kg
BATTERY	36v 10.4Ah 375Wh
CHARGER	EU Standard DC 2.1 Charger 42V 1.5A
CHARGING TIME	3-4 hours
RANGE	20-25km, range varies depending on driving style and external conditions


Batteria da 36V 10.4Ah



Ruote 20" anteriore
16" posteriore



Potente faro anteriore a LED



Freno a disco
anteriore e posteriore



PRODUCT WEIGHT	14Kg
PACKAGED WEIGHT	17Kg
UNIT SIZE (OPEN)	1540 x 160 x 1210mm
UNIT SIZE (FOLDED)	1540 x 160 x 1030mm
CARTON SIZE	1400 x 170 x 605mm



www.argentobike.it

Produced and imported by



Il marchio della
gestione forestale
responsabile